IN THE CLAIMS:

Please cancel claims 13 and 14 without prejudice or disclaimer.

1. (Original) A computer-implemented method for providing code to computer systems, comprising:

receiving base code and developer-specified characteristics of the base code from a developer;

translating the received base code into an intermediate code;

evaluating the intermediate code to determine whether the received base code satisfies the developer-specified characteristics;

notifying the developer whether the received base code satisfies the developer-specified characteristics;

receiving a request for target code from a requester, the request including requester-specified characteristics that the target code should satisfy;

selecting intermediate code that matches the requester-specified characteristics;

transforming the selected intermediate code to target code in accordance with the requester-specified characteristics; and

sending the target code to the requester.

2. (Original) The method of claim 1 wherein the base code is source code and the target code is executable code.

3. (Original) The method of claim 1 wherein the evaluating includes determining whether the developer is authorized to submit base code.

4. (Original) The method of claim 1 wherein the developer-specified characteristics identify a functional category for the code.

868330 v1

5. (Original) The method of claim 4 wherein the functional categories include networking, communications, client-server, user interface, Internet browsing, electronic mail, audio, video, telephony, television, compression, encryption, logging, feature manager, hardware interface, or miscellaneous.

6. (Original) The method of claim 1 wherein the transforming includes optimizing the intermediate code in accordance with the requester-specified characteristics.

7. (Original) The method of claim 1 wherein the transforming includes compiling the intermediate code to produce executable target code in accordance with the requester-specified characteristics.

8. (Original) The method of claim 1 including billing for providing the target code to the requester.

9. (Original) The method of claim 8 wherein the billing includes compensating the developer for the sending of target code that is based on base code provided by the developer.

10. (Original) The method of claim 8 wherein the billing is based on per use receiving of target code by the requester.

11. (Original) The method of claim 8 wherein the billing includes differential billing based on the requester-specified characteristics.

12. (Original) The method of claim 1 wherein the transforming of the intermediate code uses beads of a *Strings*-based operating environment.

13-14. (Canceled)

15. (Original) A computer-based method for providing code for computer systems, comprising:

provided a collection of intermediate code;

868330 v1

receiving a request for target code from a requester, the request including requester-specified characteristics that the target code should satisfy;

selecting intermediate code that matches the requester-specified characteristics;

transforming the selected intermediate code to target code in accordance with the requester-specified characteristics; and

sending the target code to the requester.

16. (Original) The method of claim 15 wherein the selecting uses a least-squares analysis based various characteristics of the intermediate code.

17. (Original) The method of claim 15 wherein the selecting is based on processor speed requirements, processor type, or memory requirements.

868330 v1